





PRODUCT FEATURES




ECONOMICAL

Pays for itself in savings and blows away the competition! The patented venturi system uses side ports to combine free ambient air with costly compressed air, creating a fuller volume of usable output. And this feature-packed blow gun outperforms its overpriced competitors.



TAMPERPROOF

No more OSHA fines – tampering doesn't work on this gun! Many managers have observed operators plugging or taping over their blow guns' vent holes in an effort to increase output. If the venturi side ports of a KMS Safety Blow Gun are blocked, the airflow output is noticeably **reduced**, thus eliminating the tamper incentive and preventing costly safety violations.



COMPLIANT

KMS Safety Blow Guns meet all OSHA standards and get the job done. Exceeds OSHA requirements by reducing compressed air pressure to less than 30 psi when dead-ended and by providing required safety shield for effective chip guarding. KMS Safety Blow Guns tested using 125 psi initial pressure put out approximately 20 psi nozzle pressure when blocked. Protective shield guards operator from blown debris and prevents lever from activating when dropped. Venturi side ports provide safety relief when blow gun is dead-ended.

KMS's patented tamper-defeating Safety Blow Gun prevents OSHA violations while providing superior power and durability for a great low price.

POWERFUL AND INDESTRUCTIBLE

Provides full volume of air under normal operations. Rugged, chemical resistant Super-Nylon body has corrosion-resistant brass valve components. The KMS Safety Blow Gun is the strongest blow gun on the market.

THREADED FOR KMS EXTENSIONS

Our 1/4"-diameter copper extensions come in four lengths so the nozzle can be extended to clean crevices and hard-to-reach areas. Safety Blow Guns connect to air source with 1/4" female standard hose coupling. Safety Blow guns are threaded at the output end to fit KMS extensions, and threaded at the input end with 1/4" Female NPT (National Pipe Thread) to fit standard 1/4" Male NPT connection to air source.

FOUR MODELS

Select the output volume (standard or fuller) and activator (lever or button) to suit your application.

(616) 994-7000 • **KMS COMPANY** • www.kmscompany.com



Product Features continued

KMS Safety Blow Guns are available in your choice of output volume, activator type, and a range of extension lengths to suit your application.

CHOOSE YOUR OUTPUT

SBG: Standard volume – strong output volume for most jobs.

SBGF: Fuller volume – same body size but 34% larger internal air tube for maximum blowing power. Use for heavier debris or deep crevices.

CHOOSE YOUR ACTIVATOR

Lever: The standard activator is a handy lever made of corrosion-resistant plated steel.

Button: Solid brass activator especially useful for non-scratch applications.

ADD EXTENSIONS

KMS copper extensions are threaded to fit all KMS Blow Guns. These 1/4" pipes easily channel airflow into tight spaces. May be bent slightly to further suit your application. Note: Bending and longer length reduce airflow by varying degrees. Choose from 3", 5", 9", and 17" lengths.

KMS Safety Blow Gun Models

SBG – Lever
SBGF – Lever

SBG – Button
SBGF – Button

KMS Copper Extensions

3EXT	3" Length
5EXT	5" Length
9EXT	9" Length
17EXT	17" Length



SBG-Lever with 3" Extension



SBG-Button with 5" Extension

Your search for the ideal blow gun is over!

The KMS Safety Blow Gun (US Patent #5464155) has made a fantastic impact on the industrial marketplace. Its unique combination of features makes it a complete blow gun solution. **Patented triple-action venturi system** sets KMS Safety Blow Guns apart from the competition.

To request further information please contact Customer Service at:

Phone: (616) 994-7000
Fax: (616) 994-7070
info@kmscompany.com
www.kmscompany.com



PRICING & ORDERING

KMS SAFETY BLOW GUN MODELS

SBG-Lever (Standard Volume)	Qty 1-GJ	\$FGÍ ea.
	Qty H0+	1F.ÍÍ ea.
SBGF-Lever (High Volume)	Qty 1-GØ	1HGÍ ea.
	Qty H0+	1GGÍ ea.
SBG-Button (Standard Volume)	Qty 1-GJ	FGÍ ea.
	Qty H0+	F.ÍÍ ea.
SBGF-Button (High Volume)	Qty 1-GJ	12E € ea.
	Qty H0+	FE € ea.

COPPER EXTENSIONS

Threaded to fit all KMS Safety Blow Guns

Part No. 3EX	Length 3"	\$2.65 ea.
Part No. 5EXT	Length 5"	2.95 ea.
Part No. 9EXT	Length 9"	3.50 ea.
Part No. 17EXT	Length 17"	4.80 ea.

SHIPPING INFORMATION

KMS Company typically ships via UPS Ground by the second business day following receipt of your order. We prepay shipping and include those charges on your invoice. Upon request, KMS can provide UPS Freight Collect Service, Consignee Billing, or Next Day or Second Day Air shipment.

TO ORDER

Phone: (616) 994-7000

Fax (with purchase order): (616) 994-7070